



Kinectve SignPlus 2020

System Requirements

Server Requirements

Important Notices	<ul style="list-style-type: none">• The server specifications presented here are to be used as general minimum requirements and may differ based on factors such as your financial institution's size and volume of transactions.• Specifications are subject to change without notice.• Please consult Kinectve Support for your specific requirements.
General Hardware	<ul style="list-style-type: none">• Intel Quad Core Xeon (recommended) or comparable• A backup mechanism• A dedicated Kinectve SignPlus Server (staged for installation)• Volume Partitions (Required) C (OS drive): At least 70GB of free space after installing the operating system (OS) and all Windows updates. E (Application drive): 100GB to allocate space one time.
Kinectve SignPlus Server (Web Application Server)	<p>CPU</p> <ul style="list-style-type: none">• Under 100 Users: 4 Cores (or VCPUs for VMware) @ 3.0 GHz or faster• Over 100 Users: 8 Cores (or VCPUs for VMware) @ 3.0 GHz or faster <p>Memory</p> <ul style="list-style-type: none">• Under 100 Users: 16GB RAM• Over 100 Users: 32GB RAM <p>Supported Operating Systems</p> <ul style="list-style-type: none">• Windows Server 2016 and 2019 (Standard)• Windows Server 2022 is supported with Sign 2022 only. <p>Software</p> <ul style="list-style-type: none">• .Net Framework 4.7.1 or later• IIS <p>Additional Requirements</p> <ul style="list-style-type: none">• Gigabit Network Interface• An SSL certificate must be issued to your fully qualified domain name. The SSL certificate must be purchased from an external provider such as GoDaddy or Verisign. Self-certified SSL certificates are not supported.• This server must be joined to the same domain as the client workstations.• The domain must have normal access to a fully functional Domain/Active Directory server.



Server Requirements (Continued)

CPU

- Under 100 Users: 4 Cores (or VCPUs for VMware) @ 3.0 GHz or faster
- 100 to 500 Users: 8 Cores (or VCPUs for VMware) @ 3.0 GHz or faster
- Over 500 Users: 16 Cores (or VCPUs for VMware) @ 3.0 GHz or faster

Memory

- Under 100 Users: 16GB RAM
- 100 to 500 Users: 32GB RAM
- Over 500 Users: 64GB RAM

Database Server

Dedicated SQL Server

- SQL Server Standard 2016 SP2, 2017, 2019

Supported Operating Systems

- Refer to Microsoft's OS requirements based on your SQL version:
<https://docs.microsoft.com/en-us/troubleshoot/sql/general/sql-server-windows-8-later-versions>

Virtual Environment (If Applicable)

- VMware ESXi host 6.7
 - Kinective VM must meet hardware and software specs above
 - ESXi host must have adequate resources for all VMs
-



Workstation Requirements

Hardware	General	<ul style="list-style-type: none">• Intel Dual Core 3.0GHz, 4GB RAM• 20GB+ free disk space• Display resolution 1280 x 960 minimum• Connectivity to server (Kinective SignPlus Server)
	Signing Devices^{1, 2, 3}	<ul style="list-style-type: none">• iPad (iOS 14 or newer)⁴• Topaz GemView Devices⁵• Topaz LCD Signature Pads• Verifast Devices⁶• Wacom Devices⁵• Windows Touch-Enabled Devices (Windows Pro Tablets)
	Attachment Scanning	<ul style="list-style-type: none">• ScanShell 3100D• Canon P-215/P-215 II• TWAIN scanner drivers are supported. Financial institutions are responsible for testing.
	Supported Cameras^{7, 8}	<ul style="list-style-type: none">• Microsoft LifeCam• Built-In Cameras supported by Windows
Supported Operating Systems		<ul style="list-style-type: none">• Windows 11 and Windows 10 (Professional or Enterprise)
Supported Web Browsers		<ul style="list-style-type: none">• Google Chrome⁹• Microsoft Edge⁹• Mozilla Firefox⁹• Internet Explorer mode in Microsoft Edge (Supported, Not Recommended)¹⁰
Software		<ul style="list-style-type: none">• Net Framework 4.7.1 or later• Adobe Acrobat Reader is required for Internet Explorer mode in Microsoft Edge.• For all other web browsers, Adobe Acrobat Reader is not required.

1. Refer to the In-Person Signature Device Order Form to purchase the latest supported Topaz and Wacom hardware: <https://www.kinective.io/esignature-device-order-form/>.
2. For Topaz devices, refer to the Topaz SigPlusExtLite User Installation Guide: https://www.topazsystems.com/software/SigPlusExtLite_UserInstall.pdf. For silent installations, refer to <https://www.topazsystems.com/silentinstallerform.html>.
3. Refer to the Adobe Acrobat Sign system requirements for details about remote signer requirements: <https://helpx.adobe.com/sign/system-requirements.html>.
4. iPads must be configured and fully functional on the institution's network before use. Kinetive SignPlus is supported with the mobile browser experience only.
5. Recommended for the best consumer experience. Not supported on thin client configurations.
6. Fiserv Verifast module and Verifast tablet are required.
7. To use a camera with Google Chrome, Microsoft Edge, or Mozilla Firefox web browsers, HTTPS is required.
8. Other cameras may work. Financial institutions are responsible for testing.
9. Consult your Kinetive representative to determine if there are any additional requirements for your integration.
10. Photos are not supported with Internet Explorer mode in Microsoft Edge.



Supported Thin Client Configurations

Citrix Virtual Apps and Desktops (XenApp and XenDesktop)	<p>Server</p> <ul style="list-style-type: none">• Citrix Virtual Apps and Desktops 7 2003 and 7 2203 <p>Client</p> <ul style="list-style-type: none">• Via RDP: Thick client or WYSE Terminal running Windows Embedded OS Terminals• Via Citrix Receiver: Thick client or WYSE Terminal running Windows Embedded OS Terminals (Desktop sharing only)• Citrix Receiver on either thick client or XenDesktop device• Signatures supported with Citrix or Windows CDS (Citrix Device Service) only
VMware Horizon (VDI)	<p>Server</p> <ul style="list-style-type: none">• VMware Horizon 7.12 and 8 2203 <p>Client</p> <ul style="list-style-type: none">• VMware Horizon on either thick client or a VMware Horizon device
Remote Desktop Services	<p>Server</p> <ul style="list-style-type: none">• Windows Server 2016, 2019, or 2022 (64-Bit) host configured for Terminal Services <p>Client</p> <ul style="list-style-type: none">• Thick client via RDP or any WYSE device running Windows Embedded OS Terminals